

Laboratorio Clinico Generale con aree specialistiche: Patologia Clinica e Sostanze d'Abuso - Microbiologia e Virologia

PUNTI PRELIEVI Mod 2E-rev7 del 26/09/2023 Inglese

PATIENT INSTRUCTIONS FOR RANDOM CLEAN CATCH MID STREAM URINE COLLECTION

Equipment:

- Steril urine cup
- antiseptic soap and water
- antiseptic skin towelette, washcloth or sponge

Female Collection

- 1. Wash hands thoroughly with soap and water. Dry with paper towel
- 2. With one hand, spread genital skin folds apart.
- 3. Using antiseptic skin towelette, wash vulva, wiping from front to back
- 4. Discard towelette
- 5. Repeat, wiping from front to back.
- 6. Void first portion of urine into toilet.
- 7. Void midstream portion into sterile container. Do not touch the inside of the container.
- 8. Stop collection when container is about half full, complete void into the toilet.
- 9. Screw cap on container.
- 10. Wash hands
- 11. Give sample to lab personnel.

Male Collection

- 1. Wash hands thoroughly with soap and water. Dry with paper towel.
- 2. Pull back foreskin, if uncircumcised and cleanse glans penis with antiseptic skin towelette.
- 3. Void first portion of urine into the toilet and then void the midstream portion into the urine container. Do not touch the inside of the container.
- 4. Stop collection when container is about half full, complete void into the toilet
- 5. Screw cap on container
- 6. Wash hands.
- 7. Give sample to lab personnel.

La Direzione del Laboratorio



